



METAL STORAGES

钢制存储系统

现代办公室的转型不仅使空间更具生产力,而且对用户和环境也更加积极。这就意味 着办公家具现已经不能被视为简单的服务元素,而是要创建出多种空间解决方案。即 使当下提倡无纸化办公概念,办公环境仍需要存储系统来实现资料的分类归纳,同时 也可以起到装饰作用,或作为空间隔断等多种应用方式。多元化的存储系统可满足不 同的办公需求,因此,我们为办公室、学校、档案室等不同领域不同场所提供更高效、更 安全、更人性化的存储系统。

The trend of the modern office has not only made the space more productive, but also more positive for users and the environment. That means that office furniture can no longer be seen as a simple service element, but rather as creating multiple spatial solutions. Even if the current concept of paperless office is advocated, the office environment still needs a storage system to realize the classification and induction of data, but also to be a kind of decoration, or as a space partition and other applications. Diversified storage systems can meet different office needs. Therefore, we provide more efficient, more secure and more user-friendly storage systems for offices, schools, archives and other areas and places.








GREEN



ORDER

SPACE










无门空格柜 Open shelf cabinet









双掩门柜 Folding door cabinet








* 组合式上层模块 Modular upper module

植物槽 Plant container



MODULAR



U-TEAM / 07



OUTSIDE TO THE INSIDE AESTHETIC ENJOY OFFICE 由外而内美学精造,乐享办公

DEEP.10 系列为整装结构,顶板可拆卸、侧背板一体。柜体主要以优质冷轧钢板为基材,运用静电粉末喷涂技术和纳米陶化工艺,提高柜体的耐腐蚀性能、耐强撞力。使用意大利SALVAGNINI全自动折弯中心对钢板进行精准折弯,10mm边框使传统钢柜更显轻盈,从而在视觉上消减柜体的厚重感。

The DEEP.10 series is a whole structure, the cabinet top can be disassembled and the side back plate has been integrated. The cabinet body is mainly made of high-quality cold-rolled steel plate as the base material, and the electrostatic powder coating technology and nano-ceramics process are used to improve the corrosion resistance and strong impact resistance of the cabinet body. SALVAGNINI automatic bending center of Italy guaranteed bend the steel plate accurately. The 10mm frame makes the traditional steel cabinet more light, so as to visually reduce the thickness of the cabinet.

PRODUCTS:

DEEP.10 cabinet, EVER pedestal, METAL3070 workstations, TENSA chair

08 / **U-team** / 09




柜门配有阻尼铰链,有效缓冲门板关闭时的冲击力,铰链最大角度可达 到 110° ,开合顺畅。


The door is equipped with damping hinges, which can buffer the impact force effectively when the door is closed. The maximum angle of the hinges can reach 110°, opening and closing smoothly.















竖式 K7 拉手 vertical K7 handle



天地锁杆 door lock rod





层板可悬挂 FC 快劳夹 suspension folder

10 / **U-TEAM**




移门柜 Sliding door cabinet







层板托件 & 排孔 adjustable shelving supporting bar



移门轨道 & 地调脚 rails for sliding door & adjusting feet



移门柜的设计符合相对紧凑的办公环境,门板左右移动,不占用外在空间;静音导轨,顺滑流畅。

The design of the sliding door cabinet is in line with the relatively compact office environment. The door panel moves from side to side and does not occupy external space. Guide rail with silent system, smooth and noiseless.





PVC 卷门 PVC roller shutter



层板托件 & 排孔 adjustable shelving supporting bar



内嵌式拉手 & 锁钩 built-in handle & latch hook

卷门柜采用间距为 15mm 的 PVC 卷胶条,便于拆装、清洁及安装更换。内嵌式塑质拉手,使柜门外观平整;柜门设有流畅路轨,抽拉顺滑。

Roller door cabinet adopts PVC roll strip with spacing of 15mm, which is easy to disassemble, clean, and replace. Built-in plastic handle, makes the appearance of door smooth. Cabinet door is provided with smooth rail, running smooth.





横排斗柜 Lateral drawer cabinet



H750



H1050



横向 K7 拉手 horizontal K7 handle



重型三节导轨 & 防倾倒装置 guide rail & rollover protection for drawers

横排斗柜分为两斗和三斗,满足不同储物需求。每个抽屉配备有3节导轨,抽拉灵活省力,无噪音。导轨负载重量60kg的物品,同时设有防倾倒装置,避免因重力失衡造成的柜身倾倒。

The lateral drawer cabinet has two-drawer and three-drawer which meet different store content demand. Each drawer is equipped with fully extension guide rail, pulling flexible, labor-saving, no noise. The guide rail is equipped with an anti-dumping device to prevent the cabinet body from toppling due to gravity imbalance.


U 型钩槽 U-shaped hook groove

U 型钩槽可挂 A4 和 FC 快劳夹,方便快速查找所需文件和材料。


The U-shaped hook slot can accommodate A4 and FC lever arch files, facilitating quick access to required documents and materials.







一体式高柜 Combi high cabinet



一体式高柜,上下双掩门均分结构,上层掩门可选玻璃柜门,更直观地看到柜子内部的物品罗列,增加视觉上的通透性和办公空间的层次感。柜门上方配有防撞胶垫,有效缓冲撞击,进一步保障玻璃柜门的安全性能。

The combi high cabinet has upper and lower split structure, upper folding door can choose glazed door, more intuitive to see the contents of the cabinet inside, increase the visual permeability and the sense of hierarchy of office space. Anti-collision rubber spacer is equipped on the door to effectively guarantee the safety performance of the glass door.

COMBI



OVERVIEW

上层模块 Upper module



W: 800/900 D: 450 H: 380



W: 800/900 D: 450 H: 750



W: 800/900 D: 450 H: 1050



W: 800/900 W: 800/900 D: 450 D: 450 H: 380 H: 750



W: 800/900 D: 450 H: 1050



W: 800/900 D: 450 H: 180

独立模块 Freestanding module

W: 800/900 D: 450 H: 725




D: 450



W: 800/900 D: 450 H: 725




W: 800/900 D: 450 H: 1050



W: 800/900 D: 450



H: 725



W: 800/900 D: 450 H: 2100



W: 800/900 D: 450 H: 1050



D: 450 H: 725



W: 800/900 D: 450 H: 725













D: 450 H: 1050


一体式高柜 Combi high cabinet




W: 800/900 D: 450 H: 1800



W: 800/900 D: 450 H: 2100



W: 800/900 D: 450 H: 1800



W: 800/900 D: 450 H: 2100

DEEP. 10

钢柜 Cabinet

种类	Variety		
上层模块	upper module	无门柜 双掩门柜 植物槽	open shelf cabinet folding door cabinet plant container
独立模块	freestanding module	双掩门柜 移门柜 卷门柜(单卷门*/双卷门**) 横排斗柜(两斗/三斗)	folding door cabinet sliding door cabinet roller shutter door cabinet (single* / double**) lateral drawer cabinet (2-drawer / 3-drawer)
一体式高柜	combi high cabinet	下层双掩门 + 上层双掩门 下层双掩门 + 上层玻璃双掩门	lower-folding door, upper-folding door lower-folding door, upper-glazed folding door

附件	Accessories			
 拉手	handle	竖式 K7 拉手,适用于双掩门/移门 横式 K7 拉手,适用于横排斗柜 内嵌式塑质拉手,适用于卷门	vertical K7 handle, for folding & sliding door horizontal K7 handle, for lateral drawer built-in plastic handle, for roller shutter	-
锁具	lock 甲 I FHMANN	常规标准锁 拨盘密码锁 [K1A],适用于双掩门 电子密码锁 [K1B],适用于双掩门 常规钥匙锁 [K2A],适用于所有	standard lock dial lock [K1A], for folding door electronic lock [K1B], for folding door LENMANN normal lock [K2A], for all	
		拨盘密码锁 [K2B],适用于双掩门	LENMANN dial lock [K2B], for folding door	

参数	Specification		
钢板	steel plate	侧板 / 背板厚度 0.7mm 顶板 / 层板 / 门板厚度 0.7mm	0.7mm thick side & back panels 0.7mm thick top, shelf and door
柜框	frame	可视厚度 10mm	10mm visible thickness
门板	door	折弯厚度 20mm	20mm bending thickness
底座	plinth	H50mm	
层板	shelf	折弯厚度 23mm,承重 50kg 存放 A4 文件夹时最小高度需 330mm	23mm bending thickness, 50kg bearing capacity 330mm min. height allow A4 binder
排孔间距	hole pitch	31mm	
抽屉内胆	drawer	最大可抽出 400mm	400mm max. extraction distance
抽屉导轨	guide rail	16 寸重型三节导轨高 45mm,承重 60kg	16" guide rail H45mm, 60kg bearing capacity

■ Basic 基本 □ Optional 可选

内部空间 Inner dimension

*W: 646/746


**W: 586/686 ** D: 393


W: 795/895 D: 358

H725

* D: 393









U-TEAM / 21 20 / **U-TEAM**





直身三列3门更衣柜 Locker with 3-door, one row

名字卡座、透气孔、镜片、挂衣通和活动层板

name card holder, air vent, mirror, coat hanger and adjustable shelf

两层三列6门更衣柜 Locker with 6-door, two rows

名字卡座、透气孔、镜片、挂衣通

name card holder, air vent, mirror and coat hanger

三层三列9门储物柜 Locker with 9-door, three rows

名字卡座、透气孔

name card holder and air vent

三层单列3门储物柜 Locker with 3-door, three rows

名字卡座、透气孔

name card holder and air vent



DEEP.10 locker 分为储物柜与更衣柜两类,使用方式多样,可独立可结合。具有大容量管理储存、多规格收纳、承重力强等优点,这也是它适用于各种不同空间与环境的关键因素。每个柜门都配有独立锁具,储物更放心;内部配置多款功能性附件,提高空间利用率与储物的便利性。

DEEP.10 locker is divided into two kinds: locker for personal items and locker for workwear. It can be used in various ways and can be combined independently. It has the advantages of large capacity management storage, multi-specification storage and strong load-bearing capacity, which is also the key factor for its application in a variety of different Spaces and environments. Each cabinet door is equipped with an independent lock, storage more assured. Internal configuration of a variety of functional accessories, improve the space utilization and storage convenience.





储物柜可实现个性化定制:每格空间可设计为大小不一,以满足不同的存储需求;可配置信箱式门板,时刻投递文件;门板可设有装饰冲孔,有利于柜体内部空气流通;自由搭配色彩,使柜体更具设计感;多种安全锁具可选,为个人储物的安全性和隐私性层层加码。

Lockers can be customized: each space can be designed for different sizes to meet different storage needs; can be configured with mailbox-type door, time delivery documents. The door panel can be provided with decorative punching, which is conducive to the air circulation inside the cabinet. Free collocation color, make the cabinet more design sense. A variety of safety locks can be selected to enhance the security and privacy of personal storage.



CUSTOMIZED





28 / **U-TEAM**

工位更衣柜 Workstation locker









名字卡座、透气孔、镜片、挂衣通 name card holder, air vent, mirror and coat hanger






装饰冲孔

当工位更衣柜与屏风工作位组合时,柜体侧面可焊有 L 型角码,用于支撑桌板,使得工作位与更衣柜完美结合。柜体内部含有功能性配件,储物更便利;另外,上空格的设计可轻松放置小物件、书籍等,充分释放工作位的存储空间,保持工作位桌面整洁。


When the locker is combined with the panel workstation, the side of the cabinet can be welded with an L-shaped bracket, which is used to support the desktop, making the perfect combination of the desk and the locker. The cabinet contains functional accessories, more convenient storage. In addition, the design of the space can easily place small objects, books, fully release the storage space of the work place, keep clean.


更衣柜 Locker





储物柜 Locker





D: 450 H: 1800

工位更衣柜 Workstation locker








D: 600 H: 1200



W: 320 D: 600 H: 1200





W: 320 D: 600 H: 1200

内部空间 Inner dimension











OVERVIEW

DEEP. 10

钢柜 Locker

种类	Variety		
更衣柜	locker	直身三列 3 门 两层三列 6 门	locker with 3-door, one row locker with 6-door, tow rows
储物柜	locker	三层三列 9 门 三层单列 3 门	locker with 9-door, three rows locker with 3-door, three rows
工位更衣柜	locker	单门 上空格下单门 * 屏风工作站组合专用	locker with 1-door locker with 2 units combined with panel workstation

附件	Accessories					
拉手	handle	内嵌式塑质拉手,适用于更衣柜/储物柜 横式 K7 拉手,适用于工位更衣柜	built-in plastic handle, for locker horizontal K7 handle, for workstation locker	-		
锁具	lock	常规标准锁	standard lock			
		拨盘密码锁 [K1A]	dial lock [K1A]			
		电子密码锁 [K1B]	electronic lock [K1B]			
	T LEHMANN	常规钥匙锁 [K2A]	LENMANN normal lock [K2A]			
	T LEHMANN	拨盘密码锁 [K2B]	LENMANN dial lock [K2B]			

参数	Specification		
钢板	steel plate	侧板 / 背板厚度 0.7mm 顶板 / 层板 / 门板厚度 0.7mm	0.7mm thick side & back panels 0.7mm thick top, shelf and door
柜框	frame	可视厚度 10mm	10mm visible thickness
门板	door	折弯厚度 20mm	20mm bending thickness
底座	plinth	H50mm	
层板	shelf	折弯厚度 23mm,承重 50kg	23mm bending thickness, 50kg bearing capacity
排孔间距	hole pitch	31mm	
镜片	mirror	W145xH195mm	
名字卡座	name card holder	W80xH45mm	

■ Basic 基本 □ Optional 可选




32 / **U-TEAM U-TEAM** / 33

^{*} 屏风工作站组合专用。 To be used in combination with panel workstation.



THE BLACK TONE BRINGS ALL COLORS TO THE EXTREME

黑色基调让一切色彩推向极致



36 / **U-TEAM U-TEAM** / 37





FOLIO 系列为独特的拆装结构,能够实现快捷安装;模块化设计也是它的一大特点,应用方式灵活多样,重新定义办公空间布局。最引人注目的就是 FOLIO 的超薄边框,钢板几乎达到对折效果,可视厚度仅有 4mm。柜底配有电镀方脚,以及门板的设计元素多样,增添柜体设计感。


FOLIO series has unique disassembly structure, can achieve quick installation. Modular design is also one of its major characteristics, flexible application, redefine the layout of office space. The most striking feature is the FOLIO's ultra-thin bezel, with the steel plate almost folded in half and a visible thickness of only 4mm. Equipped with chromed feet and various design element for door style, make the cabinet more design feeling.






双掩门柜 Folding door cabinet

植物槽 Plant container





装饰门板使用激光雕刻图案,再采取钢板蒙布的方式,为办公空 间增添一丝趣味和活力。

The decorative door panels can be designed with laser engraving patterns, and be upholstered, to add a touch of interest and vitality to the office space.

40 / **U-TEAM U-TEAM** / 41



COMBI

结合存储需求,FOLIO的模块化特性也可实现组合高柜的设计,比例和谐,线条流畅简洁,使组合柜外观协调统一,具有一定的空间装饰作用。

The modular feature of FOLIO also enables the design of combined high cabinets upon storage requirements. The proportion is harmonious, the lines are smooth and simple, so that the appearance of the combined cabinets is coordinated and unified, and it has a certain role in space decoration.





FOLIO 的墙柜设计可根据空间高度定制顶柜,并且运用色彩来打造视觉效果: 柜框和柜门采用不同色系,在视觉上形成深浅对比,突出柜体线条感和立体感,丰富整个办公空间的风格,提升整体设计感。

FOLIO wall cabinet design can customize the top cabinet according to the height of the space, and use color to create visual effects. The cabinet frame and cabinet door adopt different colors to form visual contrast, highlight the line sense and three-dimensional sense of the cabinet body, enrich the style of the whole office space, and improve the overall design sense.

CUSTOMIZED





钢木结合的外观形式为办公室而设计,保留纤薄金属边框,与有质感的木制门板相结合,彰显出办公室卓越不凡的 格调。

The style of the combination of steel and wood is designed for the office. Combined with the wooden door, it remains the extra-thin metal frame, highlights the extraordinary style of the office.

OVERVIEW


独立模块 Freestanding module




W: 800/900 D: 450 H: 720




W: 800/900 D: 450 H: 1010




W: 800/900 D: 450 H: 1330




W: 800/900 D: 450 H: 1650




W: 800/900 D: 450 H: 1980



W: 800/900 D: 450 H: 1330



W: 800/900 D: 450 H: 1650



W: 800/900 D: 450 H: 1980



W: 800/900

D: 450

H: 720

W: 800/900 D: 450 H: 1010



W: 800/900

D: 450

H: 1010

W: 800/900 D: 450 H: 720




W: 800/900 D: 450 H: 1010

上层模块 Upper module



W: 800/900 D: 450 H: 180

一体式高柜 Combi high cabinet




W: 800/900 D: 450 H: 1980




W: 800/900 D: 450 H: 1980




W: 800/900 D: 450 H: 1980



W: 800/900 D: 450 H: 1980



W: 800/900 D: 450 H: 1980



W: 800/900 D: 450 H: 1980

FOLIO

钢柜 Cabinet

*L34			
种类	Variety		
上层模块	upper module	植物槽	plant container
独立模块	freestanding module	无门柜 双掩门柜 双掩门柜(装饰门板) 横排斗柜(两斗 / 三斗)	open shelf cabinet folding door cabinet décor folding door cabinet lateral drawer cabinet (2-drawer / 3-drawer)
一体式高柜	combi high cabinet	上层无门柜 / 双掩门 + 下层双掩门 上层无门柜 / 双掩门 + 下层横排两斗柜 上层无门柜 / 双掩门 + 下层横排三斗柜	upper-open shelf or folding door, lower-folding door upper-open shelf or folding door, lower-lateral 2 drawers upper-open shelf or folding door, lower-lateral 3 drawers
附件	Accessories		
拉手	handle style	锁柄拉手,适用于双掩门 下槽式拉手,适用于横排斗柜	lock handle, for folding door groove type handle, for lateral drawer
锁具	lock	常规标准锁	standard lock

参数	Specification		
钢板	steel plate	侧板 / 背板厚度 0.6mm 顶板 / 层板 / 门板厚度 0.7mm	0.6mm thick side & back panels 0.7mm thick top, shelf and door
柜框	frame	可视厚度 4mm	4mm visible thickness
门板	door	折弯厚度 18mm	18mm bending thickness
电镀方脚	chromed feet	W75xD75xH40mm	
层板	shelf	折弯厚度 25mm,承重 30kg 存放 A4 文件夹时最小高度需 330mm	25mm bending thickness, 30kg bearing capacity 330mm min. height allow A4 binder
排孔间距	hole pitch	32mm	
抽屉内胆	drawer	最大可抽出 410mm	410mm max. extraction distance
————— 抽屉导轨	guide rail	16 寸重型三节导轨高 50mm,承重 60kg	16" guide rail H50mm, 60kg bearing capacity


■ Basic 基本 □ Optional 可选

内部空间 Inner dimension


W: 795/895 D: 358











48 / **U-TEAM U-TEAM** / 49





EVER Pedestal



EVER 系列整体为高品质钢板精铸,外形伶俐精巧,经久耐用。设有高载荷导轨与防倾翻装置,保证了柜桶的稳定性和安全性。活动柜桶的顶板可添置软包座垫,丰富柜体色彩以外还能提高使用者坐上去时的舒适度。

EVER pedestal is made of high-quality steel plate, which is smart, exquisite and durable. It is equipped with heavy duty guide rail and anti-tipping device to ensure the stability and safety. The top of the mobile pedestal can be added with a soft seat cushion, which can not only enrich the color of the body, but also improve the user's comfort when sitting on it.



文具盒 pencil-box 三节导轨 guide rail 可挂 A4 快劳夹 A4 folder can be placed 辅助小滑轮的设计,防止柜体在任何情况下倾 倒,放心使用,安心无忧。 Auxiliary design of small castor prevents cabinet body to dump in any case, rest assured use, at ease.

坚固底盘 & 辅助小滑轮 sturdy plinth & auxiliary castor

OVERVIEW

EVER

柜桶 Pedestal

校 Variety	
------------------	--

活动柜桶	mobile pedestal	两抽: 一小一大抽屉 三抽: 两小一大抽屉	2 drawers B/F 3 drawers B/B/F
座地柜桶	freestanding pedestal	三抽: 两小一大抽屉	3 drawers B/B/F

件 Accessories

锁具	lock	常规标准锁	standard lock	
	T LEHMANN'	常规钥匙锁 [K2A]	LENMANN normal lock [K2A]	
文具盒	pencil-box	x1,适用于小斗抽屉	1pc for box drawer	

多数 Specification

钢板	steel plate	侧板 / 背板厚度0.7mm 顶板 / 抽面厚度0.7mm	0.7mm thick side & back panels 0.7mm thick top and drawer front
顶板	top	折弯厚度10mm	10mm bending thickness
抽屉面板	drawer front	折弯厚度17mm	17mm bending thickness
抽屉内胆	drawer	最大可抽出400mm	400mm max. extraction distance
抽屉导轨	guide rail	16寸三节导轨高36mm,承重30kg	16" guide rail H36mm, 30kg bearing capacity
万向轮	castors	ABS, H45mm	
地调脚	adjusting feet	H15mm	


■ Basic 基本

□ Optional 可选


活动柜桶 Mobile pedestal



W: 393 D: 500 H: 500



座地柜桶 Freestanding pedestal



U-TEAM / 55







DETAILS

COLORS

MODULAR

模块化结构

UNION书架特点是其连续性的弯曲形态,轮廓清晰,超薄的 铝组件使结构显得更为轻盈。

UNION bookcase is characterized by the continuity of its flexuous form, a clean and sinuous profile. The ultrathin aluminium components give the structure a lightweight look.

UPRIGHTS

立杆

铝板和立杆之间的接触点小,使书架获得了一种轻盈的感 觉,同时也加固了书架的稳定性。


A sense of lightness which the bookcase obtained thanks to the points of contact between the various sheets and the uprights. The slim uprights also reinforce its stability


ELEMENT JOINTS

连接元件

镀铬挤压铝型材用于元件接头,坚固稳定,便于根据需求来 合理布局。

Chromed extruded aluminium profile for element joints, solid and stable.





UNION书架可供3种标准颜色,也可以根据客户自身需求定 制颜色。

UNION bookcase is available in 3 standard colors, customized colors are available upon request.







M-711 纯白色 White

半光黑 Black

M-380 铝灰色 Aluminum

WALL FIXING

连接墙体

如需增加稳固性可与墙面连接,通过膨胀螺栓将后板固定到

If required to connect the wall, the back panel can be fixed into the wall by expansion bolts.

DRAWER

带有软关闭滑轨的抽屉,自由灵活,具有较大的存储空 间。内嵌式拉手,外形美观小巧。

Drawer with soft closing runners, free and flexible, with large storage space. Embedded handle with beautiful shape and artful design.

可调水平地脚,可通过膨胀螺栓将底架固定在地面 上,以保障书架的稳固性。

Adjustable horizontal feet, the base can be fixed on the floor by expansion bolts to ensure the bookcase stability.

It is different from the traditional bookshelf in appearance. The bookshelf provides a variety of color options to make the appearance more fashionable and design, and the display effect is better.

62 / **U-TEAM U-TEAM** / 63








PRODUCTS: UNION bookcase KASTEL - KROKUS lounge chair


64 / **U-TEAM**

DETAILS


BOOKCASE TYPE I



A UNBI-55D2 L2086 x H1882mm




B UNBI-75D3 L2920 x H1882mm




C UNBI-95D4 L3754 x H1882mm




D UNBI-56D2 L2086 x H2232mm




E UNBI-76D3 L2920 x H2232mm




F UNBI-96D4 L3754 x H2232mm



G UNBI-57D2 L2086 x H2582mm



H UNBI-77D3 L2920 x H2582mm



UNBI-97D4 L3754 x H2582mm

BOOKCASE TYPE L



J UNBL-56D2 L1372-1372 x H2232mm








L2206-1372 x H2232mm







OVERVIEW

UNION


书架 Bookcase



工艺	Technology			
主要材料	material	优质可循环利用的铝板	high quality recyclable aluminium sheet	
粉末涂层	powder-coated finishes	经过高温固化喷粉	polyester-expoxy powder coating	
涂层厚度	paint thickness	60-80微米	60-80um	
连接元件	element joints	镀铬挤压铝型材	chromed extruded aluminium profile	
颜色	color	纯白色,半光黑,铝灰色	white, black, aluminum	

参数	Specification			
长度	length	2086mm, 2920mm, 3754mm, 1372-1372mm, 2206-1372mm, 3041-1372mm		
高度	height	1882mm, 2232mm, 2582mm	•	
深度	depth	300mm	•	
抽屉	drawer	最大抽出为190mm,承重15kg	the maximum extraction is 190mm, bearing 15kg	
铝板	aluminum	厚度为4mm,承重30kg	4mm thick, bearing 30kg	

■ Basic 基本 □ Optional 可选



66 / **U-TEAM U-TEAM** / 67





CUSTOMIZED

可为企业专属定制智能电动型密集柜,实现手动、电动自由切换,同时结合智能硬件系统,实现快速检索和自动访问,使档案管理更加智能化、高效化、规范化。

Serries storage system can be customized for the enterprise intelligent electric cabinet, manual or electric free switch, combined with the intelligent hardware system, to achieve fast retrieval and automatic access, make archive management more intelligent, efficient and standardized.



智能硬件

・电机驱动 ・触摸显示屏

· 无线操控 · 定时通风

安全防护

· 指纹认证 · 语音识别

· 红外保护 · 烟雾报警

档案管理

· 自动开闭架 · 权限管理

・信息查询 ・预留 RFID

智能灯光

· 灯光定位 · 自动照明

防尘板 dust-proof 防撞垫 collision spacer 完整的密集柜系统必不可少的三大装置: 传动装置, 实现柜 体能够完成一系列操作的主要构成系统; 防倒装置, 用来稳 定密集柜;密封装置,起到防尘、防潮作用,保持整洁。 There are three indispensable devices for a complete Serries cabinet system. The transmission device, which is the main component system to realize that the cabinet can complete a series of operations; the anti-falling device is used to stabilize cabinets; the sealing device can prevent dust and moisture and keep it clean. 机械式密集柜 Mechanical serries cabinet 72 / **U-TEAM**

OVERVIEW

SERRIES

密集柜 Cabinet


斜坡装置 side slope


规格	Specification					
单面活动 双面活动 单面固定	single unit movable double unit movable single unit fixed	D440 D650/D850 D440	W1152/ 列(每加 1 列 +W90 W1152/ 列(每加 1 列 +W90 W1087/ 列(每加 1 列 +W90	0)	H2150mm H2150mm H2150mm	
附件	Accessories					
转盘	rotary wheel	ABS转盘,含折叠式手 适用于单面活动柜和双			with foldable hand rocker movable single or double unit	
锁具	lock	锚形锁,置于单面活动 通道安全锁,置于转盘		anchor lock safety lock in	at the fixed single unit n the wheel	
目录座	label holder	W340xH100,适用于 W550xH100,适用于	. — . –		for single unit for double unit	
双掩门	folding door	可分别加锁		can be locke	ed separately	
平台装置	platform	安装在路轨中间		install in the	middle of the rails	

参数	Specification		
钢板	steel plate	侧板 / 背板 / 门板厚度0.8mm 顶板 / 层板厚度1.0mm	0.8mm thick side & back panels and door 1.0mm thick top and shelf
底座	plinth	钢板厚度2.5mm,成型高度114mm	2.5mm thick steel plate, forming height is 114mm
层板	shelf	折弯厚度25mm,承重50kg	25mm bending thickness, 50kg bearing capacity
排孔间距	hole pitch	50mm	
路轨	rail	W125xH25mm实心钢 表面包裹0.8mm厚不锈钢	W125xH25mm solid steel wrapped by 0.8mm thick stainless steel

■ Basic 基本 □ Optional 可选


install on both sides of platform





平台装置 platform

安装在平台两侧



斜坡装置 side slope





优合机构·上海总部

上海优合环境工程设计有限公司 上海市闵行区申昆路2377号 虹桥国际展汇3号楼705-706室 U-TEAM | Shanghai Headquarters U-Team Furnishings Co.,Ltd. Room 705-706, No.3 Building, PortMix Hongqiao, No.2377 Shenkun Road, Minhang District, Shanghai 201106 China

优合机构·生产基地 江苏省常熟经济技术开发区万盛路10号 U-TEAM | Manufacturing Base No.10 Wansheng Road, Changshu Econ. & Tech. Dev. Zone,

Jiangsu Province 215513 China

(400-021-8800

info@u-team.com.cn

STEEL STORAGES

DEEP.10 Cabinet / Locker

FOLIO Cabinet

EVER Pedestal

UNION Bookcase

SERRIES Cabinet

办公环境·优化整合 IDEAS TO OPTIMIZE YOUR SPACE

www.u-team.com.cn







IDEAS TO 办公环境·优化整合 OPTIMIZE YOUR SPACE